



No.235DOC-0006

Doc No.	D2B028 D5B089
---------	------------------

## EU Declaration of Conformity

<b>Identification of the Product</b>	Terminal Blocks
<b>Name and address of Manufacturer</b> IDEC CORPORATION 2-6-64 Nishimiyahara, Yodogawa-Ku, Osaka 532-0004 Japan	<b>Name and address of the authorized representative :</b> APEM SAS 55, Avenue Edouard Herriot BP1, 82303 Caussade Cedex, France

**This declaration of conformity is issued under the sole responsibility of the manufacturer.**

**Object of the declaration :** Series Name – BN/BNH Series

Model No. – Details are as per attached sheet

**The object of the declaration described above is in conformity with the relevant EU harmonization legislation :**

2014/35/EU

Low Voltage Directive

2011/65/EU and (EU)2015/863

Restriction of the use of certain hazardous substances  
(RoHS) Directive

**Applied Union harmonized legislation and references to the relevant harmonization standards used or references the other technical specifications in relation to which conformity is declared.**

EN 60947-7-1: 2009

EN IEC 63000:2018

**Where applicable, the notified body**

**Additional Information :**

**Signed for and on behalf of the above named manufacturer :**

Place and date of issue :

Japan, 20 April, 2016

Name, function :

Japan, 18 November, 2021 (Revised)

Masaki Tsuru, Executive Officer

Quality Assurance Center

Signature :

*Masaki Tsuru*

Doc No.	D2B028 D5B089
---------	------------------

20 April, 2016  
14 March, 2022 (Revised)  
Page 1 of 2

### Standard Type

<u>BN</u>	<u>H</u>	<u>10W</u>	<u>-****</u>
1	2	3	4

1. Basic Construction

BN Series

2. Terminal Type

None : Self-Lifting Type  
H : Touch-Down Type

3. Rated Specification

10W	:	16A, 660V
15MW	:	22A, 660V
15MWT	:	22A, 660V
15LW	:	22A, 660V
15LWT	:	22A, 660V
30W	:	38A, 660V
40W	:	50A, 660V
50W	:	67A, 660V

4. Manufacturer Control No. (may be followed)

\*\*\*\*\* : Any additional letters and/or numbers (may be including hyphens).

### Double-Deck Type

<u>BN</u>	<u>D</u>	<u>15W</u>	<u>-****</u>
1	2	3	4

1. Basic Construction

BN Series

2. Terminal Type

D : Self-Lifting of Double-Deck Type  
DH : Touch-Down of Double-Deck Type

3. Rated Specification

15W	:	10A, 660V
15LW	:	15A, 660V
15LWT	:	15A, 660V

4. Manufacturer Control No. (may be followed)

\*\*\*\*\* : Any additional letters and/or numbers (may be including hyphens).

20 April, 2016  
14 March, 2022 (New)  
Page 2 of 2

## Large Capacity Type

<u>BN</u>	<u>100</u>	<u>BW</u>	<u>3</u>	<u>K</u>	<u>-****</u>
1	2	3	4	5	6

### 1. Basic Construction

BN Series

### 2. Rated Current

75	:	94A, 660V (For Screw type only)
100	:	132A, 660V (For Screw type only)
150	:	175A, 660V (For Screw type only)
200	:	240A, 660V
300	:	310A, 660V
400	:	370A, 660V
500	:	430A, 660V
600	:	520A, 660V

### 3. Type of screw terminal

W	:	Screw Type
BW	:	Bolt Type
NW	:	Nut Type

### 4. Number of poles

Blank	:	1 pole ( For Screw type only )
2 to 4	:	2 to 4 poles

### 5. Mounting method

Blank	:	Rail mounting
K	:	Surface mounting ( Except Screw type)

### 6. . Manufacturer Control No. (may be followed)

\*\*\*\*\* : Any additional letters and/or numbers (may be including hyphens).