

Doc No.

235DOC-0104U

UK Declaration of Conformity

Identification of the Product : Miniature Photoelectric Switch

Name and address of Manufacturer

Name and address of the authorized representative and

authorized to compile the technical file:

IDEC CORPORATION APEM COMPONENTS LIMITED.

2-6-64 Nishimiyahara, Yodogawa-ku, Drakes Drive, Long Crendon, Buckinghamshire,

Osaka 532-0004 Japan HP18 9BA, UK

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration : Series Name: SA1E Series

Model No.: Details are as per attached sheet

The object of the declaration described above is in conformity with the relevant UK legislation:

S.I. 2016 No.1091 Electromagnetic Compatibility Regulations 2016

S.I. 2012 No.3032 The Restriction of the Use of Certain Hazardous Substances in Electrical

and Electronic Equipment Regulations 2012

The products conform with the following standards.

EN IEC 60947-5-2:2020 EN IEC 63000:2018

Where applicable, the approved body

Additional Information:

Signed for and on behalf of the above named manufacturer :

Place and date of issue: Japan, 16 June, 2021

12 September, 2022 (Revised)

Name, function : Masaki Tsuri, Executive Officer,

Quality Assurance Center

Signature :

masaki Isuw



Doc No.



16 June, 2021 12 September, 2022 (Revised) Page 1 of 1

Nomenclature

SA1E Series

| SA1E | - | <u>T</u> | <u>N</u> | <u>1</u> | <u>C</u> | <u>P</u> | <u>-NA</u> | <u>-2M</u> | _***** |
|------|---|----------|----------|----------|----------|----------|------------|------------|--------|
| (1) | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |

- (1) Series SA1E
- (2) Detection Mode

T: Through-Beam (Infrared LED Type)

P: Polarized Retro-reflective

D: Diffuse-reflectiveN: Small-Beam ReflectiveB: Background Suppression

X: Coaxial Polarized Retro-reflective

(3) Control Output

N: NPN P: PNP (4) Operation Model

1: Light On 2: Dark On

(5) Connection

None: Cable

C: M8 Connector

(6) (Only for Through-Beam Type)

P: Projector R: Receiver (7) Sensitivity Adjustment

None: With Adjustment -NA: Without Adjustment

(Only for Through-Beam Type and Polarized Retro-reflective Type)

(8) Connection

None: Cable 1 m

-*M: length of cable (*: any digit or number 0 to 10 to designate the cable length)

(9) Manufacturer's control code (may be followed)

******: Additional letters and/or numbers